

Dialplans

Dialplan Details

Global specific dialplans are global to all tenants(domains). These can be changed, however the changes apply to all tenants.

Not Found

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition					0	5
action	set	call_direction=inbound		TRUE	0	10
action	log	[inbound routes] 404 not found \${sip_network_ip}		TRUE	0	15

Call Forward All

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	\${user_exists}	TRUE			0	5
condition	\${forward_all_enabled}	TRUE			0	10
action	transfer	\${forward_all_destination} XML \${domain_name}			0	15

Intercept Ext Polycom

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*97(d+)\$			0	5
action	answer				0	10
action	lua	intercept.lua \$1			0	15

Talking Clock Date

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*9171\$			0	5
action	answer				0	10
action	sleep	1000			0	15
action	say	\${default_language} CURRENT_DATE pronounced \${strepoch()}			0	20
action	hangup				0	25

Talking Clock Date And Time

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*9172\$			0	5
action	answer				0	10
action	sleep	1000			0	15
action	say	\${default_language} CURRENT_DATE_TIME pronounced \${strepoch()}			0	20
action	hangup				0	25

Outbound Route Example

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	\${user_exists}	FALSE			0	0
condition	destination_number	^+?1?(d{10})\$			0	10
action	set	sip_h_X-accountcode=\${accountcode}			0	20
action	export	call_direction=outbound			0	30
action	unset	call timeout			0	40
action	set	hangup_after_bridge=true			0	50
action	set	effective_caller_id_name=\${outbound_caller_id_name}			0	60
action	set	effective_caller_id_number=\${outbound_c			0	70

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
		caller_id_number}				
action	set	inherit_codec=true			0	80
action	set	ignore_display_updates=true			0	90
action	set	callee_id_number=\$1			0	100
action	set	continue_on_fail=true			0	110
action	bridge	sofia/gateway/72d236fb-945b-4c86-8e75-af7c6bcf2862/\$1			0	120
action	bridge	sofia/gateway/72d236fb-945b-4c86-8e75-af7c6bcf2862/\$1			0	130

Talking Clock Time

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*9170\$			0	5
action	answer				0	10
action	sleep	1000			0	15
action	say	\${default_language} CURRENT_TIME pronounced \${strepoch()}}			0	20
action	hangup				0	25

Dialplans

Domain Specific

Domain specific dialplans are all the same initially but can be changed. Those changes are per domain, thus helps FusionPBX achieve multitennancy.

Hold Music

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*9664\$			0	5
condition	\${sip_has_crypto}	^(AES_CM_128_HMAC_SHA1_32 AES_CM_128_HMAC_SHA1_80)\$			0	10
action	answer				0	15
action	execute_extension	is_secure XML \${context}			0	20
action	playback	\$\$\${hold_music}			0	25
anti-action	set	zrtp_secure_media=true			0	30
anti-action	answer				0	35
anti-action	playback	silence_stream://2000			0	40
anti-action	execute_extension	is_zrtp_secure XML \${context}			0	45
anti-action	playback	\$\$\${hold_music}			0	50

Agent Status

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*22\$			0	5
action	set	agent_id=\${sip_from_user}			0	10
action	lua	app.lua agent_status			0	15

Agent Status ID

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*23\$			0	5
action	set	agent_id=			0	10
action	lua	app.lua			0	15

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
		agent_status				

DISA

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^(3472)\$			0	5
action	answer				0	10
action	set	pin_number=36227215			0	15
action	set	dialplan_context=\${context}			0	20
action	lua	disa.lua			0	25

Provision

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*11\$	on-true		0	5
action	set	reboot=true			0	10
action	set	action=login			0	15
action	lua	app.lua provision			0	20
condition	destination_number	^*12\$			1	30
action	set	reboot=true			1	35
action	set	action=logout			1	40
action	lua	app.lua provision			1	45

Call Forward

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*72\$	on-true		0	5
action	set	request_id=false			0	10
action	set	enabled=true			0	15
action	lua	call_forward.lua			0	20
condition	destination_number	^*73\$	on-true		1	30

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
action	set	request_id=false			1	35
action	set	enabled=false			1	40
action	lua	call_forward.lua			1	45
condition	destination_number	^*74\$	on-true		2	55
action	set	request_id=false			2	60
action	set	enabled=toggle			2	65
action	lua	call_forward.lua			2	70
condition	destination_number	^forward+(Q\${caller_id_number}E)(?:/(d+))?\$	on-true		3	80
action	set	enabled=toggle			3	85
action	set	forward_all_destination=\$2			3	90
action	lua	call_forward.lua			3	95

Call Block

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	\${call_direction}	^inbound\$			0	5
action	lua	app.lua call_block			0	10

Do Not Disturb

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*77\$	on-true		0	5
action	set	enabled=toggle			0	10
action	lua	do_not_disturb.lua			0	15
condition	destination_number	^*78\$ *363\$	on-true		1	25
action	set	enabled=true			1	30
action	lua	do_not_disturb.lua			1	35
condition	destination_number	^*79\$	on-true		2	45

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
action	set	enabled=false			2	50
action	lua	do_not_disturb.lua			2	55
condition	destination_number	^dnd+\${caller_id_number}\$	on-true		3	65
action	set	enabled=toggle			3	70
action	lua	do_not_disturb.lua			3	75

Voicemail(Vmain User)

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*97\$			0	5
action	answer				0	10
action	sleep	1000			0	15
action	set	voicemail_action=check			0	20
action	set	voicemail_id=\${caller_id_number}			0	25
action	set	voicemail_profile=default			0	30
action	lua	app.lua voicemail			0	35

Vmain

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^vmain\$ ^*4000\$ ^*98\$	never		0	5
action	answer				0	10
action	sleep	1000			0	15
action	set	voicemail_action=check			0	20
action	set	voicemail_profile=default			0	25
action	lua	app.lua voicemail			0	30
condition	destination_number	^(vmain\$ ^*4000\$ ^*98)(d{2,12})\$			1	40
action	answer				1	45
action	sleep	1000			1	50
action	set	voicemail_action=check			1	55

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
action	set	voicemail_id=\$2			1	60
action	set	voicemail_profile=default			1	65
action	set	voicemail_authorized=false			1	70
action	lua	app.lua voicemail			1	75

Directory

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*411\$			0	5
action	lua	directory.lua			0	10

Follow Me

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*21\$			0	5
action	answer				0	10
action	lua	follow_me.lua			0	15

Recordings

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*(732)\$			0	5
action	answer				0	10
action	set	pin_number=37775310			0	15
action	set	recording_slots=true			0	20
action	set	recording_prefix=recording			0	25
action	lua	recordings.lua			0	30

Call Privacy

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*67(d+)\$			0	5
action	privacy	full			0	10
action	set	sip_h_Privacy=id			0	15
action	set	privacy=yes			0	20
action	transfer	\$1 XML \${context}			0	25

Page

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*724\$			0	5
action	set	caller_id_name=Page			0	10
action	set	caller_id_number=			0	15
action	set	pin_number=48760243			0	20
action	set	destinations=101-103,105			0	25
action	set	moderator=false			0	30
action	set	mute=true			0	35
action	set	set api_hangup_hook=conference page-\${destination_number} kick all			0	40
action	lua	page.lua			0	45

Valet Park In

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^(park+)?(*5900)\$			0	5
action	valet_park	park@\${domain_name} auto in 59015999			0	10

Valet Park Out

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^(park+)?*(59[0-9][0-9])\$			0	5
action	answer				0	10
action	valet_park	park@\${domain_name} \$2			0	15

Valet Parking

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^(park+)?*(59[0-9][0-9])\$	never		0	5
condition	<code>\${sip_h_Referred-By}</code>	sip:(.*)@.*	never		0	10
action	set	referred_by_user=\$1			0	15
condition	destination_number	^(park+)?*(59[0-9][0-9])\$	never		1	25
action	set	park_in_use=false		TRUE	1	30
action	set	park_lot=\$2		TRUE	1	35
condition	destination_number	^(park+)?*(59[0-9][0-9])\$			2	45
condition	<code>\${cond \${sip_h_Referred-By} == " ? false : true}</code>	TRUE	never		2	50
action	set	park_in_use=\${regex \${valet_info park@\${domain_name} }} \${park_lot}		TRUE	2	55
condition	<code>\${park_in_use}</code>	TRUE	never		3	65
action	transfer	<code>\${referred_by_user} XML \${context}</code>			3	70
anti-action	set	valet_parking_timeout=180			3	75
anti-action	set	valet_hold_music=\${hold_music}			3	80
anti-action	set	valet_parking_orbit_exten=\${referred_by_user}			3	85
anti-action	valet_park	park@\${domain_name} \${park_lot}			3	90

Dialplans

User Exists

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition					0	5
action	set	user_exists=\${user_exists id \${destination_number} \${domain_name}}		TRUE	0	10
condition	\${user_exists}	^true\$			1	20
action	set	extension_uid=\${user_data \${destination_number}@\${domain_name} } var extension_uid}		TRUE	1	25
action	set	hold_music=\${user_data \${destination_number}@\${domain_name} } var hold_music}		TRUE	1	30
action	set	forward_all_enabled=\${user_data \${destination_number}@\${domain_name} } var forward_all_enabled}		TRUE	1	35
action	set	forward_all_destination=\${user_data \${destination_number}@\${domain_name} } var forward_all_destination}		TRUE	1	40
action	set	forward_busy_enabled=\${user_data \${destination		TRUE	1	45

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
		_number}@\${domain_name} var forwarded_busy_enabled}				
action	set	forward_busy_destination=\${user_data \${destination_number}@\${domain_name} var forwarded_busy_destination}		TRUE	1	50
action	set	forward_no_answer_enabled=\${user_data \${destination_number}@\${domain_name} var forwarded_no_answer_enabled}		TRUE	1	55
action	set	forward_no_answer_destination=\${user_data \${destination_number}@\${domain_name} var forwarded_no_answer_destination}		TRUE	1	60
action	set	forward_user_not_registered_enabled=\${user_data \${destination_number}@\${domain_name} var forwarded_user_not_registered_enabled}		TRUE	1	65
action	set	forward_user_not_registered_destination=\${user_data \${destination_number}@\${domain_name}		TRUE	1	70

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
		{domain_name} var forward_user_not_registered_destination}				
action	set	do_not_disturb=\${user_data \${destination_number}@\${domain_name} var do_not_disturb}		TRUE	1	75
action	set	call_timeout=\${user_data \${destination_number}@\${domain_name} var call_timeout}		TRUE	1	80
action	set	missed_call_app=\${user_data \${destination_number}@\${domain_name} var missed_call_app}		TRUE	1	85
action	set	missed_call_data=\${user_data \${destination_number}@\${domain_name} var missed_call_data}		TRUE	1	90
action	set	toll_allow=\${user_data \${destination_number}@\${domain_name} var toll_allow}		TRUE	1	95
action	set	call_screen_enabled=\${user_data \${destination_number}@\${domain_name} var call_screen_enabled}		TRUE	1	100

Dialplans

Caller Details

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition			never		0	5
action	set	caller_destination=\${destination_number}		TRUE	0	10
action	set	caller_id_name=\${caller_id_name}		TRUE	0	15
action	set	caller_id_number=\${caller_id_number}		TRUE	0	20

Call Direction

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	\${call_direction}	^(inbound outbound local)\$	never		0	5
anti-action	export	call_direction=local			0	10

Variables

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition					0	5
action	export	origination_caller_id_name=\${destination_number}			0	10
action	set	RFC2822_DATE=\${strftime(%a, %d %b %Y %T %Z)}			0	15

Call Limit

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	<code>\${call_direction}</code>	<code>^(inbound outbound)\$</code>			0	5
action	limit	<code>hash inbound \${domain_uid} \${max_calls} !USER_BUSY</code>			0	10

Is Local

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	<code>\${user_exists}</code>	FALSE			0	5
action	lua	<code>app.lua is_local</code>			0	10

User Record

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition					0	5
action	set	<code>user_record= \${u ser_ data \${destination_number}@\${domain_name} } var user_record}</code>		TRUE	0	10
action	set	<code>from_user_exists=\${user_exists id \${sip_from_user} \${sip_from_host}}</code>		TRUE	0	15
condition	<code>\${user_exists}</code>	<code>^true\$</code>	never		1	25
condition	<code>\${user_record}</code>	<code>^all\$</code>	never		1	30
action	set	<code>record_session=true</code>		TRUE	1	35
condition	<code>\${user_exists}</code>	<code>^true\$</code>	never		2	45
condition	<code>\${call_direction}</code>	<code>^inbound\$</code>	never		2	50
condition	<code>\${user_record}</code>	<code>^inbound\$</code>	never		2	55

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
action	set	record_session=true		TRUE	2	60
condition	\${user_exists}	^true\$	never		3	70
condition	\${call_direction}	^outbound\$	never		3	75
condition	\${user_record}	^outbound\$	never		3	80
action	set	record_session=true		TRUE	3	85
condition	\${user_exists}	^true\$	never		4	95
condition	\${call_direction}	^local\$	never		4	100
condition	\${user_record}	^local\$	never		4	105
action	set	record_session=true		TRUE	4	110
condition	\${from_user_exists}	^true\$	never		5	120
action	set	from_user_record=\${user_data} \${sip_from_user}@\${sip_from_host} var user_record}		TRUE	5	125
condition	\${from_user_exists}	^true\$	never		6	135
condition	\${from_user_record}	^all\$	never		6	140
action	set	record_session=true		TRUE	6	145
condition	\${from_user_exists}	^true\$	never		7	155
condition	\${call_direction}	^inbound\$	never		7	160
condition	\${from_user_record}	^inbound\$	never		7	165
action	set	record_session=true		TRUE	7	170
condition	\${from_user_exists}	^true\$	never		8	180
condition	\${call_direction}	^outbound\$	never		8	185
condition	\${from_user_record}	^outbound\$	never		8	190
action	set	record_session=true		TRUE	8	195
condition	\${from_user_exists}	^true\$	never		9	205
condition	\${call_direction}	^local\$	never		9	210
condition	\${from_user_record}	^local\$	never		9	215
action	set	record_session=true		TRUE	9	220

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	<code>{record_session}</code>	<code>^true\$</code>			10	230
action	set	<code>record_path=\${recordings_dir}/\${domain_name}/archive/\${strftime(%Y)}/\${strftime(%b)}/\${strftime(%d)}</code>		TRUE	10	235
action	set	<code>record_name=\${uuid}.\${record_ext}</code>		TRUE	10	240
action	set	<code>recording_follow_transfer=true</code>		TRUE	10	245
action	set	<code>record_append=true</code>		TRUE	10	250
action	set	<code>record_in_progress=true</code>		TRUE	10	255
action	record_session	<code>{record_path}/\${record_name}</code>		FALSE	10	260

Redial

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	<code>^(redial *870)\$</code>	on-true		0	5
action	transfer	<code>{hash(select/\${domain_name}-last_dial/\${caller_id_number}))}</code>			0	10
condition			never		1	20
action	hash	<code>insert/\${domain_name}-last_dial/\${caller_id_number}/\${destination_number}</code>			1	25

Speed Dial

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	<code>^*0(.*)\$</code>			0	5

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
action	lua	app.lua speed_dial \$1			0	10

Default Caller ID

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	\${emergency_caller_id_number}	^\$	never		0	5
action	set	emergency_caller_id_name=\${default_emergency_caller_id_name}		TRUE	0	10
action	set	emergency_caller_id_number=\${default_emergency_caller_id_number}		TRUE	0	15
condition	\${outbound_caller_id_number}	^\$	never		1	25
action	set	outbound_caller_id_name=\${default_outbound_caller_id_name}		TRUE	1	30
action	set	outbound_caller_id_number=\${default_outbound_caller_id_number}		TRUE	1	35

Group Intercept

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*8\$			0	5
condition	\${sip_h_X-intercept_uuid}	^(.+)\$	on-true		0	10
action	intercept	\$1			0	15
condition					1	25
action	answer				1	30
action	lua	intercept_group.lua			1	35

Dialplans

Conf Xfer

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^conf_add_begin\$	on-true		0	5
action	set	api_result=\${conference(\${conf_xfer_number}) unmute \${conference_member_id} quiet)}			0	10
action	bind_digit_action	conf-xfer,*0,api:lua,transfer2.lua \${uuid} conf_enter_number::XML::conf-xfer@\${domain_name} conf_enter_to::XML::conf-xfer@\${domain_name}			0	15
action	bind_digit_action	conf-xfer,##,api:lua,transfer2.lua \${uuid} conf_enter_number::XML::conf-xfer@\${domain_name} ::KILL:			0	20
action	bind_digit_action	conf-xfer,*#,api:lua,transfer2.lua \${uuid} conf_add_end::XML::conf-xfer@\${domain_name} ::KILL:			0	25
action	bind_digit_action	conf,*#,exec:execute_extension,conf_add_begin XML conf-xfer@\${domain_name} }			0	30
action	bind_digit_action	none,NONE,api:sleep,1			0	35
action	set	continue_on_fail=true			0	40
action	transfer	conf_enter_number XML conf-xfer@\${domain_name} }			0	45

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^conf_add_end\$	on-true		1	55
action	digit_action_set_realm	conf			1	60
action	set	api_result=\${conference(\${conf_xfer_number}) mute \${conference_member_id})}			1	65
action	conference	\${conf_xfer_number}@page			1	70
condition	destination_number	^conf_enter_number\$	on-true		2	80
action	digit_action_set_realm	none			2	85
action	read	2 11 'tone_stream://%(1000,0,0,350,440)' target_num 30000 #			2	90
action	execute_extension	conf_bridge_\${target_num} XML conf-xfer@\${domain_name}			2	95
condition	destination_number	^conf_bridge_\$	on-true		3	105
action	execute_extension	conf_add_end XML conf-xfer@\${domain_name}			3	110
condition	destination_number	^conf_bridge_*\$	on-true		4	120
action	execute_extension	conf_add_end XML conf-xfer@\${domain_name}			4	125
condition	destination_number	^conf_bridge_(d{2,7})\$	on-true		5	135
action	digit_action_set_realm	conf-xfer			5	140
action	bridge	{conf_xfer_number=\${conf_xfer_number}},transfer_after_bridge=conf_enter_to:XML:conf-xfer@\${domain_name}}user/\$1@\${domain_name}			5	145
action	execute_extension	conf_enter_number			5	150

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
		XML conf-xfer@\${domain_name} }				
condition	destination_number	^conf_bridge_	on-true		6	160
action	playback	voicemail/vm-that_was_an_invalid_ext.wav			6	165
action	execute_extension	conf_enter_number XML conf-xfer@\${domain_name} }			6	170
condition	destination_number	^conf_enter_to\$	on-true		7	180
action	unbind_meta_app				7	185
action	bind_digit_action	conf,*#,exec:execute_extension,conf_add_begin XML conf-xfer@\${domain_name} }			7	190
action	digit_action_set_realm	conf			7	195
action	answer				7	200
action	playback	tone_stream:/L=1;%(500,0,640)			7	205
action	conference	\${conf_xfer_number}@page			7	210
condition	destination_number	^conf_xfer_from_dialplan\$			8	220
action	lua	transfer2.lua \${uuid} conf_add_begin::XML::conf-xfer@\${domain_name} conf_enter_to::XML::conf-xfer@\${domain_name}			8	225

Page Extension

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*8(d{2,7})\$			0	5

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
action	set	destinations=\$1			0	10
action	set	pin_number=87462988			0	15
action	set	mute=true			0	20
action	set	moderator=false			0	25
action	lua	page.lua			0	30

Eavesdrop

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*33(d{2,7})\$			0	5
action	answer				0	10
action	set	pin_number=03667751			0	15
action	lua	eavesdrop.lua \$1			0	20

Call Return

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*69\$			0	5
action	transfer	\${hash(select/\${domain_name}-call_return/\${caller_id_number}))}			0	10

Extension Queue

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*800(.*)\$			0	5
action	set	fifo_music=\${hold_music}			0	10
action	set	extension_queue=queue_\$1@\${domain_name}			0	15

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
action	set	fifo_simo=1			0	20
action	set	fifo_timeout=30			0	25
action	set	fifo_lag=10			0	30
action	set	fifo_destroy_after_use=true			0	35
action	set	fifo_extension_member=\$1@\${domain_name}			0	40
action	lua	extension_queue.lua			0	45

Wake Up

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^(925)\$			0	5
action	answer				0	10
action	set	pin_number=14509639			0	15
action	set	time_zone_offset=-7			0	20
action	lua	wakeup.lua			0	25

dx

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^dx\$			0	5
action	answer				0	10
action	read	11 11 'tone_stream:/(100,0,350,440)' digits 5000 #			0	15
action	transfer	-bleg \${digits}			0	20

ATT Xfer

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^att_xfer\$			0	5
action	read	2 6 'tone_stream://%(10000,0,350,440)' digits 30000 #			0	10
action	set	origination_cancel_key=#			0	15
action	att_xfer	user/\${digits}@\${domain_name}			0	20

Evesdrop

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*33(d{2,7})\$			0	5
action	answer				0	10
action	set	pin_number=03667751			0	15
action	lua	eavesdrop.lua \$1			0	20

Please Hold

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	\${user_exists}	^true\$			0	5
action	set	transfer_ringback=\${hold_music}			0	10
action	answer				0	15
action	sleep	1500			0	20
action	playback	ivr/ivr-hold_connect_call.wav			0	25

Cluecon Weekly

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^*9(888 8888 1616 3232)\$			0	5

Dialplans

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
action	export	hold_music=silence			0	10
action	bridge	sofia/\${use_profile}/\${1@conference.freewitch.org}			0	15

Bind Digit Action

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	\${sip_authorized}	TRUE	never		0	5
action	set	bind_target=both		TRUE	0	10
anti-action	set	bind_target=peer		TRUE	0	15
condition					1	25
action	bind_digit_action	local,*1,exec:execute_extension,dx XML \${context},\${bind_target}			1	30
action	bind_digit_action	local,*2,exec:record_session,\${recording_dir}/\${domain_name}/archive/\${strftime(%Y)}/\${strftime(%b)}/\${strftime(%d)}/\${uuid}.\${record_ext},\${bind_target}			1	35
action	bind_digit_action	local,*3,exec:execute_extension,cf XML \${context},\${bind_target}			1	40
action	bind_digit_action	local,*4,exec:execute_extension,att_xfer XML \${context},\${bind_target}			1	45
action	digit_action_set_realm	local			1	50

Dialplans

cf

Dialplan Detail Tag	Dialplan Detail Type	Dialplan Detail Data	Dialplan Detail Break	Dialplan Detail Inline	Dialplan Detail Group	Dialplan Detail Order
condition	destination_number	^cf\$			0	5
action	answer				0	10
action	transfer	-both 30\${dialed_extension:2} XML \${context}			0	15

[Next](#) [Previous](#)

Unieke FAQ ID: #4000

Auteur: Helpdesk

Laatst bijgewerkt:2022-11-28 09:33