Domains

Welcome to the adding a domain section. Here you will find how to add a domain so that you can reach the specific tenant from the multi-tenant domain side menu to configure and allow secure administration from the world wide web. <u>Click here for the youtube video</u>

Adding a domain

Control the list of domains to manage.

There are several reasons to create a domain (tenant). One reason would be to organize customers and so customers have a unique login ie <u>superadmin@domain.tld</u> or <u>superadmin@subdomain.domain.tld</u> as the username.

In this example we will create a domain.

Navigate to Advanced then click Domains.

.
Advanced
Access Controls
App Manager
Databases
Default Settings
Domains
Email Templates
Group Manager
Menu Manager
Modules
Number Translation
Server Errors
Settings
SIP Profiles
Transactions
Upgrade
Variables

Then click the

on the right.

Domains (2)	+ ADD		Search Q SEARCH
Control the list of domains to manage.			
Name	Enabled	Description	
omain.tld	True	Default Domain	
localhost	True	Default Domain	

This will bring you to enter domain info. (Be sure to create an "A record" from your domain hosting account) Pagina 2 / 6

© 2024 Business-ISP <support@business-isp.nl> | 20-05-2024 20:47 URL: https://faq.business-isp.nl/index.php?action=faq&cat=131&id=3053&artlang=nl

Domain	BACK Telete domain.tld	SAVE
Edit the details of this domain.		
Name	domain.tld Enter the name of the domain.	
Enabled	True - Set the status of the domain.	
Description	Default Domain Enter the description.	

+ ADD

Domain Settings (0)

Settings for this domain that should override those defined in Default Settings.

Click **save** once entry is complete.

Domains (2)	+ ADD	C TOGGLE	Search Q SEARCH
Control the list of domains to manage.			
Name	Enabled	Description	
omain.tld	True	Default Domain	
localhost	True	Default Domain	

Domain Selection

Changing to a different domain click the stack of three dashes on the top right

	Domain.tld	
Advanced		

A menu will pop open on the right of the screen. Click on the domain that you want to manage. You will always see the domain you are in by looking at the top right beside the three stacked dashes.

Domains (2)	CLOSE
Search	
Domain.tld - Default Domain	
<u>192.168.1.100</u> -	

Domains Default Settings

Override a Default Setting for one domain

Navigate to Advanced then click Domains.

÷
Advanced
Access Controls
App Manager
Databases
Default Settings
Domains
Email Templates
Group Manager
Menu Manager
Modules
Number Translation
Server Errors
Settings
SIP Profiles
Transactions
Upgrade
Variables

Click on the domain:

Domains (2)	+ ADD	O TOGGLE	Search Q SEARCH
Control the list of domains to manage.			
Name	Enabled	Description	
odomain.tld	True	Default Domain	
localhost	True	Default Domain	

Press "+ ADD" in the lower right corner:

Domain	BACK DELETE domain.tld • • SAVE
Edit the details of this domain.	
Nam	e domain.tld Enter the name of the domain.
Enable	Set the status of the domain.
Descriptio	Default Domain Enter the description.

+ ADD

Domain Settings (0)

Settings for this domain that should override those defined in Default Settings.

Enter the setting that should be overridden for this domain, then press Save.

Domain Setting Add	H BACK	SAVE
Add a setting for this domain.		
Category	voicemail Enter the category.	
Subcategory	message_order Enter the subcategory.	
Туре	text Enter the setting type (ie. uuid, name, var, dir, etc).	
Value	desc Enter the value.	
Enabled	True Set the status of this default setting.	
Description	Play oldest voicemail first Enter the description.	

Unieke FAQ ID: #4052 Auteur: Helpdesk Laatst bijgewerkt:2022-11-28 10:24